





The 4th International Conference on Sustainable Innovation (ICoSI 2020)

CERTIFICATE OF PARTICIPATION

NO. SKP: 262/IDI/WIL.DIY/SKP/X/2020

This certificate is awarded to

Dian Afif Arifah, S.ST., M.Kes

in acknowledgement of your participation as

PRESENTER

at The 4th International Conference Medical and Health Sciences (ICMHS) held from 13th – 14th October 2020 at the Universitas Muhammadiyah Yogyakarta, Indonesia

Rector of Universitas Muhammadiyah Yogyakarta



Dr^elfAGunawan Budiyanto, M.P., IPM



Dr. Yeni Rosilawati, SIP., SE., M.M





PROCEEDINGS

The 4th International Conference on Sustainable Innovation (ICoSI) 2020

Cutting Edge Innovations for Sustainable Development Goals

Universitas Muhammadiyah Yogyakarta (Indonesia) October 13 - 14 2020

https://icosi.umy.ac.id/

Focal Conferences

- 📽 (ICPU) The 2nd International Conference on Pharmaceutical Updates
- 📽 (ICOMS) The 6th International Conference on Management Sciences
- 📽 (ICLAS) The 9th International Conference on Law and Society
- 📽 (ICMHS) The 4th International Conference Medical and Health Sciences
- 📽 (ICAF) The 6th International Conference for Accounting and Finance
- 📽 (ILEC) The 2nd International Language and Education Conference
- 📽 (ICONURS) The 2nd International Conference on Nursing
- ICITAMEE) The 1st International Conference on Information Technology, Advanced Mechanical and Electrical Engineering
- 📽 (IConARD) International Conference on Agribusiness and Rural Development
- 📽 (ISHERSS) The 2nd International Symposium on Social Humanities Education and Religious Sciences
- 📽 (ICONPO) The 10th International Conference on Public Organization
- 📽 (DREAM) The 5th Dental Research and Exhibition Meeting
- 📽 (ICHA) The 5th International Conference on Hospital Administration
- 📽 (ICOSA) The 3rd International Conference on Sustainable Agriculture







Proceedings 4th International Conference on Sustainable Innovation 2020 Publisher UMYPress Lembaga Penelitian, Pengabdian, dan Pengembangan Masyarakat (LP3M) Universitas Muhammadiyah Yogyakarta Address Gedung D Lantai 2 Universitas Muhammadiyah Yogyakarta Jalan Brawijaya, Bantul, 55183 Indonesia

ISBN: 978-623-7054-43-6





The 4th ICoSI 2020 Commitees

Advisory Board

Dr. Ir. Gunawan Budiyanto, M.P, IPM Prof. Dr. Ir. Sukamta, M.T., IPM Prof. Dr. Nano Prawoto, S.E., M.Si Dr. Suryo Pratolo, M.Si, Akt Prof. Hilman Latief, MA., Ph.D Prof. Dr. Achmad Nurmandi, M.Sc

Chairs

Dr. Yeni Rosilawati, S.IP., S.E., MM Dr. Arie Paksi, S.IP., M.A Dr. Dyah Dewanti

Secretariat

Abdul Rasyid Ghazali, M.Sc. Mariska Intan Sari, S.S., M.A Fitria Rahmawati, S.Pd. M.Hum. Khanza Nabila Iftina, S.I.Kom Qholiva Yuni Fadilla, S.I.Kom

Treasurer

Twediana Budi Hapsari, S.Sos., M.SI., Ph.D Safaroh Ivory Fananda, S.Sos

Scientific Committee

Prof. Agus Setyo Muntohar, S.T., M.Eng.Sc., Ph.D.(Eng.) dr. Iman Permana, M.Kes., Ph.D Dr. Sudarisman, M.T Iwan Satriawan, Ph.D Dr. Indira Prabasari, M.P Eko Priyo Purnomo, S.IP., M.Si., M.Res., Ph.D Dr Nuryakin, M.M Prof. Dr. Achmad Nurmandi, M.Sc. Rizal Yaya, S.E., M.Sc., Ph.D., Ak, CA Dr. Mukti Fajar ND, SH., M.Hum

Proceedings and Journals

dr. Iman Permana, M.Kes., Ph.D Dianita Sugiyo, S.Kep., Ns., MHID Dr. Dyah Mutiarin, M.Si.

Program and Event

Hijriyah Oktaviani, S.IP, M.M Krisna Mulawarman, S.Sos, M.Sn



IT Support

Miftahul Yaum Winny Setyonugroho. S.Ked., M.T., Ph.D Anhar Wahyu, S.E

Food and Beverages

Dr. Alni Rahmawati, M.M Dr. Sri Handari Wahyuningsih, M.M Siti Wijayanti Dra. Luluk Chusniati

Equipment, Facilities and Infrastructure

Bagus Subandono, ST, M. Eng Aris Nuryanta, S.H Galuh Sudarsono

Assets and Logistics

Eko Wahyudi, S.E Noor Fajari Suparno



Reviewers of 4th ICoSI 2020

Ahmad Zaki, Ph.D. Al Afik, S.Kep., Ns., M.Kep. Ali Awaludin, Ph.D. Ana Majdawati Angga Fajar Setiawan, S.T., M.Eng., Ph.D. Anita Rahmawati, S.T., M.T. Anugrah Ilahi, Ph.D. apt. Aji Winanta, M.Sc apt. Binar Asrining Dhiani, Ph.D apt. Didik Setiawan, Ph.D apt. Erza Genatrika, M.Sc apt. Hari Widada, M.Sc apt. Indah Hairunisa, S. Farm., M.Botech apt. Ingenida Hadning, M.Sc apt. Lusi Putri Dwita, M.Si apt. Nurul Maziyyah, M.Sc apt. Raditya Weka, M.Farm apt. Rifki Febriansah, M.Sc Assoc. Prof. Dr. Khairil Azmin Mokhtar Asti Widuri Azizah Khoiriyati, S.Kep., Ns., M.Kep Cahyu Septiwii, M.Kep., Sp.Kep., MB., Ph.D. Dedi Suryadi Dina Wahyu Trisnawati, Ph.D. Dr. Ahim Abdurahin M.Si., SAS., Ak., CA Dr. Anas Puri, S.T., M.T. Dr. Ani Hairani Dr. apt. Bangunawati Rahajeng, M.Si Dr. apt. Dwi Utami, M.Si Dr. apt. Ika Yuni Astuti, M.Si Dr. apt. Nurkhasanah, M.Si Dr. apt. Siska, M.Farm Dr. apt. Supandi, M.Si Dr. Arni Surwanti, M.Si. Dr. AstutiMasdar Dr. Birgit C. P. Koch, PharmD, Ph.D Dr. dr. Arlina Dewi, M.Kes., AAK Dr. Dr. Nur Hidayah, M.M. Dr. dr. Sri Sundari, M.Kes. Dr. drg. Dwi Aji Nugroho MDSc Dr. Drh. Sapto Yuliani, M.P Dr. Edi Soesanto, S.Kp., M.Kes Dr. Eko Hanudin Dr. Elsye Maria Rosa, M.Kep. Dr. Fadia Fitiyanti Dr. Firman Pribadi, M.Si. Dr. Firman Pribadi, SE., MM. Dr. Hosam Alden Riyadh A.Alazeez, M.S.A Dr. Ihsan Nurkomar Dr. Ika Nurul Qamari, SE., M. Si Dr. Indah Fatmawati, M.Si Dr. Innaka Ageng Rineksane Dr. Istianah ZA Dr. Lis Noer Aini Dr. Lisa Musharyanti, S.Kep., Ns., M.Med.Ed Dr. Mahendro Prasetyo Kusumo

dr. Maria Ulfa, MMR., Ph.D. Dr. Muhammad Ichsan Dr. Muria Indah Sokowati, M.Si Dr. Ns. Umi Solikhah, S.Pd., M.Kep, Dr. Nur Chayati, S.Kep., Ns., M.Kep Dr. Nuryakin,MM. Dr. Qurratul Aini, S.KG., M.Kes. Dr. Seplika Yadi Dr. Siti Nur Aisyah Dr. Titih Huriah, M.Kep., Sp., Kom Dr. Yeni Rosilawati Dr.Eng. Rahmita Sari Rafdinal, S.ST., M.Eng. Dr.Eng.Pinta Astuti, S.T., M.Eng. Drg Arya Adiningrat PhD Drg Atiek Driana R Sp.KGA Drg Dian Yosi A MDSc PhD Drg Dwi Suhartiningtyas MDSc Drg Edwyn Saleh Sp.BMM Drg Erlina Sih Mahanani Drg Fahmi Yunisa Sp. Pros Drg Hartanti Sp.Perio Drg Iwan Dewanto MMR PhD drg Sartika Puspita MDSc Dr. Dyah Ekaari Sekar J Eko Purwanti Eko Purwanti, Ph.D Ema Waliyanti, S.Kep., Ns., MPH Endro Dwi Hatmanto Erna Rochimawati, Ph.D Erna Rochmawati Etik Kresnawati, Dr., M.Si. Evi Rahmawati, S.E., M.Acc., Ph.D., Ak., CA. Evy Rahman Utami, S.E., M.Sc. Fanny Monika, S.T., M.Eng. Ferika Indarwati, S.Kep., Ns., M.Ng Fitri Arofiati, S.Kep., Ns., MAN., Ph.D Galuh Suryandari Genesiska, S.Si., M.Sc. Gina Puspita Hafiez Sofyani, S.E., M.Sc. Harjanti Widiastuti, Dr., S.E., M.Si., Ak. Hendy Setiawan, Ph.D. Hidayatul Kurniawati Ida Faridah, S.Kp., M.Kes Ietje Nazaruddin, Dr., M.Si., Ak., CA. Ika Setyawati Ikhlas Muhammad Jenie Iman Permana Imaniar Ranti Inavati Indira Prabasari, Ph.D. Ir. Latif Budi Suparma, M.Sc., Ph.D Iwan Satriawan, Ph.D Jebul Suroso, Ns. M.Kep Jenita Doli Tine Donsu, S.KM. M.Si Lilis Suryani



M. Bahrul Ilmi, S.E., M.E.Sy M. Endriyo Susila, Ph.D. M. Syifa Amin Widigdo, Ph.D Mahendro Prasetyo Kusumo Matyana Dwi Cahyati, S.T., M.Eng. Meika Kurnia Puji, RDA, M.Si., Ph.D." Muhammad Chairunsyah Riskyta Akbar Muhammad Hazyar Arumbinang, S.H., LL.M Muhammad Ibnu Syamsi, S.T., M.Eng. Mundakir, S,Kep. Ns. M.Kep Naim Abdul Majid Nasrullah, S.H., S.Ag., MCL. Naufal Bagus Pratama, S.H. Noriko Kuwano Nurvita Risdiana, S.Kep., Ns., M.Sc Prof. Djoko Legono Prof. Dr. Alan Lau, Pharm.D., FCCP Prof. Dr. apt. Dyah Aryani Perwitasari S.Si., M.Si Prof. Dr. Arthorn Riewpaiboon Prof. Heru Kurnianto Tjahjono,MM" Prof. Hilman Latief, Ph.D. Prof. Hironori Yasuda Prof. Iman Satyarno Prof. Ir. Mochamad Teguh, MSCE., Ph.D. Prof. Jamsari Prof. Keith Walters Prof. Kriengsak Panuwatwanich Prof. Maria Rosa Mosquera Losada Prof. Maurice S. B. Ku Prof. Michael Henry Boehme Prof. Normah Mohd Noor

Punang Amaripuja, SE., ST., M. IT Ratna Indriawati Retno Widowati PA., M.Si., Ph.D. Rizal Yaya, S.E., M.Sc., Ph.D., Ak., CA. Rizka Fakhriani Rofi Aulia Rahman, S.H., LL.M sabtanti harimurti Shanti Wardaningsih, Ph.D Sherly Usman SN Nurul Makiyah Sri Atmaja P. Rosyidi, S.T., MSc.Eng., Ph.D., PE Sri Rejeki M Sri Sundari Sudarisman Survanto Suryo Pratolo, Dr., S.E., M.Si., Ak., CA., AAP-A. Sutantri, Ns., M. Sc., Ph.D Talqis Nurdianto Taufiq Hidayat, S.P., M.Sc. Taufiqur Rahman, S.IP, M.A, Ph.D. Titiek Hidayati Tri Pitara Tri Wulandari Kesetyaningsih Tumin, Ph.D Twediana Budi Hapsari, Ph.D Wantoro, M.Kep., Ns., Sp.Kep., M.B., Ph.D Warih Andan Winny Setyonugroho, Ph.D. Yanuar Fahrizal., S.Kep., Ns., M.Kep., Sp.Kep.J Dr. Yoni Astuti Yordan Gunawan, S.H., Int.MBA., M.H

https://www.atlantis-press.com/proceedings/icosihsn-20/125951220

Part of **SPRINGER NATURE**

PROCEEDINGS | JOURNALS | BOOKS

Search

Series: Advances in Health Sciences Research

Proceedings of the 4th International Conference on Sustainable Innovation 2020–Health Science and Nursing (ICoSIHSN 2020)

PROCEEDINGS OF THE 4TH INTERNATIONAL CONFERENCE ON SUSTAINABLE INNOVATION 2020-HEALTH SCIENCE AND NURSING (ICOSIHSN 2020)

<

Farmers Knowledge on Pesticide Safety Management in Ponorogo

Authors

Eka Rosanti, Ratih Andhika Akbar Rahma, Mahmudah Hamawi, Dian Afif Arifah

Corresponding Author Eka Rosanti

Available Online 16 January 2021

DOI 10.2991/ahsr.k.210115.004 How to use a DOI?

Keywords

Farmers, Knowledge, Pesticide management

Abstract

Agricultural activities in PonorogoDistrict are one of the largest contributors to the economy. However, agricultural activities related to pesticide use need attention. Based on the previous research, there were 36.7% of farmers in one of the villages in Ponorogo District were at a very high risk of pesticide contamination. This study aims at analyzing farmers' knowledge of pesticide safety management. This descriptive study involved 57 farmers in village X in Ponorogo. The used instrument was a questionnaire to find out the level of knowledge of farmers. The researchers also conducted semi-structured interviews to know pesticide usage more objectively. The data showed that 95% of farmers had poor knowledge about pesticide safety management; this was reinforced by the analysis result of every question item which describes that the habit on personal equipment and personal hygiene was still poor. There were only 5,26% of the farmers who had a good level of knowledge about pesticide safety management. The Pesticide is handled based on habits instead due to the lack of supervision, technical skills and personal protective equipment. Thus, the effectiveness of the application of pesticide safety management needs assistance from the relevant stakeholders for the building of knowledge, skills, and provision of facilities.

Copyright

© 2021, the Authors. Published by Atlantis Press.

Open Access

This is an open access article distributed under the CC BY-NC license (http://creativecommons.org/licenses/by-nc/4.0/).

Download article (PDF)

Proceedings of the 4th International Conference on Sustainable Innovation 2020–Health Science and Nursing (ICoSIHSN 2020)

Series

Advances in Health Sciences Research

Publication Date

16 January 2021

ISBN

10.2991/ahsr.k.210115.004

ISSN

2468-5739

DOI

10.2991/ahsr.k.210115.004 How to use a DOI?

Copyright

© 2021, the Authors. Published by Atlantis Press.

Open Access

This is an open access article distributed under the CC BY-NC license (http://creativecommons.org/licenses/by-nc/4.0/).

Cite this article

ris	
enw	
bib	

```
@inproceedings{Rosanti2021,
    title={Farmers Knowledge on Pesticide Safety Management in Ponorogo},
    author={Eka Rosanti and Ratih Andhika Akbar Rahma and Mahmudah Hamawi and Dian Afif
    Arifah},
    year={2021},
    booktitle={Proceedings of the 4th International Conference on Sustainable Innovation
    2020-Health Science and Nursing (ICoSIHSN 2020)},
    pages={17-20},
    issn={2468-5739},
    isbn={978-94-6239-315-8},
    url={https://doi.org/10.2991/ahsr.k.210115.004},
    doi={10.2991/ahsr.k.210115.004},
    publisher={Atlantis Press}
  }
}
```

Atlantis Press

Atlantis Press – now part of Springer Nature – is a professional publisher of scientific, technical & medical (STM) proceedings, journals and books. We offer world-class services, fast turnaround times and personalised communication. The proceedings and journals on our platform are Open Access and generate millions of downloads every month.

For more information, please contact us at: contact@atlantis-press.com Copyright © 2006-2023 Atlantis Press – now part of Springer Nature



Advances in Health Sciences Research, volume 33 Proceedings of the 4th International Conference on Sustainable Innovation 2020–Health Science and Nursing (ICoSIHSN 2020)

Farmers Knowledge on Pesticide Safety Management in Ponorogo

Eka Rosanti^{1,*} Ratih Andhika Akbar Rahma² Mahmudah Hamawi³ Dian Afif Arifah⁴

^{1,2,4} Occupational Safety and Health Department, Universitas Darussalam Gontor ³ Agrotechnology Department, Universitas Darussalam Gontor *Corresponding author. Email: <u>ekarosanti@unida.gontor.ac.id</u>

ABSTRACT

Agricultural activities in PonorogoDistrict are one of the largest contributors to the economy. However, agricultural activities related to pesticide use need attention. Based on the previous research, there were 36.7% of farmers in one of the villages in Ponorogo District were at a very high risk of pesticide contamination. This study aims at analyzing farmers' knowledge of pesticide safety management. This descriptive study involved 57 farmers in village X in Ponorogo. The used instrument was a questionnaire to find out the level of knowledge of farmers. The researchers also conducted semi-structured interviews to know pesticide usage more objectively. The data showed that 95% of farmers had poor knowledge about pesticide safety management; this was reinforced by the analysis result of every question item which describes that the habit on personal equipment and personal hygiene was still poor. There were only 5,26% of the farmers who had a good level of knowledge about pesticide safety management. The Pesticide is handled based on habits instead due to the lack of supervision, technical skills and personal protective equipment. Thus, the effectiveness of the application of pesticide safety management needs assistance from the relevant stakeholders for the building of knowledge, skills, and provision of facilities.

Keywords: Farmers, Knowledge, Pesticide management

1. INTRODUCTION

The area of agricultural land in Ponorogo District is 5,119,905 with the number of farmers amounting to 27,755 [1]. It means that Agricultures are one of the important economic supports in Ponorogo. Agricultural cover rice, soybeans, and horticulture such as vegetables, fruits, onions, chilies, and corn. In agricultural activities, farmers need to eliminate crop pests to get maximum yield. Therefore, farmers use pesticides both organic and inorganic. Most farmers in Ponorogo use inorganic pesticides containing chemicals as it can be more potent at killing pests than the organic one.

The spraying activities of horticultural farming more intensive than rice. Farmers spray one to 2 times a week during the harvest period. These can increase the risk of pesticide contamination in farmers' blood. The higher the direct exposure of pesticide use, the higher levels of pesticide in the blood is [2][7][8]. Along with this fact, the personal health of farmers becomes an important concern to take care of.

Inorganic pesticides are very harmful to the human body, the environment, and agricultural products in short and long termeffects [3][6][13]. Danger to body health can occur due to the accumulation of pesticides in the blood [2][3][4]. Symptoms that occur when the body is exposed to pesticide exposure are dizziness, difficulty breathing, skin irritation, and limpness. Pesticide contamination in the blood can result in birth defects, cancer, hormonal change, reproductive disorders, dermatological, gastrointestinal, nervous system damage, and lead to death [6][7][8]. Cholinesterase inhibition becomes one of the biomarkers of pesticide levels in the blood [7].

Based on data in 2018, 36.7% of farmers in Village X was at a very high risk of blood pesticide contamination [9]. Based on initial observations, most farmers did not use Personal Protective Equipment (PPE) in pesticide management. Therefore, researchers intend to explore one of the factors related to pesticide levels in the blood i.g. the level of farmer's knowledge about pesticide safety management [4]. Pesticide safety management is one of the keys to maintain the health of farmers from contamination [6]. Based on the study, the knowledge level of pesticide usage is significantly related with the practice [4]. The purpose of this study is to analyze the knowledge of farmers as well as comprehend the practice of implementing inorganic pesticides on the land. This study is expected to provide recommendations on pesticide safety management to improve the degree of health of farmers.

2. METHOD

This research was a descriptive study. It involved 57 farmers in X village of Ponorogo who were randomly selected by simple random sampling technique. The farmers willing to be the subject must have filled the informed content. Samples represented the 5 existing farmer groups and there was only one woman in the sample.

The farmers consisted of rice farming, horticulture, and mix (rice and horticulture). Farmers' knowledge about pesticide safety management was obtained through a questionnaire divided into high (\geq 80%), moderate (60-80%), and poor (< 60%). The researchers also conducted semi-structured interviews to know pesticide usage more objectively. Analysis of pesticide management using cross-tabulation ranging from pesticide purchase, storage, mixing, handling, disposal of used pesticide bottles, completeness of personal protective equipment used, and personal hygiene. This research had been approved by the ethics commission of Dr. Harjono Hospital of Ponorogo with registered number : 3502021K121442020082100002/IX/KEPK/2020.

3. RESULT

The following is the demographic characteristic data of farmers in village X:

The graph bellow shows the practical habits of pesticide usage in farmers:

Figure 1 Pesticide safety management knowledge Level



Demographic	Knowledge Levels			Total	Number (%)
Characteristic	Good	Moderate	Poor		
Age					
< 40	1	4	2	7	12,28
≥ 40	2	28	20	50	87,72
Length of Year					
< 10	0	2	3	5	8,77
≥ 10	3	30	19	52	91,23
Education					
Illiterate	1	2	1	4	7,02
Primary School	0	12	12	23	40,35
Secondary School	2	6	4	12	21,05
High School	0	11	5	16	28,07
College	0	1	1	2	3,51

 Table 1. Demographic of farmers

The results of collecting data on farmers' knowledge of pesticide safety management using questionnaires are as follows:

Figure 1 The farmers pesticide management



4. DISCUSSION

Based on the results. It was known that the knowledge of farmers in Village X about pesticide safety management was poor. Concerning the results of the semi-structured interview, 68% of farmers had not obtained building knowledge or socialization on how to use inorganic pesticides safely and correctly. During this time farmers utilized pesticides based on hereditary habits. Most people had worked as farmers since they were teenagers and even from childhood.

Building the knowledge and provision of personal protective equipment was essential for pesticide safety management in order to reduce health risks in farmers [7]. Poor knowledge makes unsafe pesticide management occurred repeatedly [8]. The above findings were also supported by farmer demographic data including 87.72% of



farmers were at ≥ 40 years old, 91.23% had a working period \geq of 10 years and only 28.07% of farmers joined high school.

4.1. Analysis of Farmer Knowledge Based on Demographic Characteristics

At the age of < 40 years old, there were 1 wellknowledgeable farmer, 4 medium knowledgeable farmers, and 2 poor knowledgeable farmers. These phenomena showed the importance of imparting knowledge at all ages. Previous research had suggested that farmers at a young or old age were not a measure for safety indicators [2]. Farmers with good knowledge were in the working period of ≥ 10 years as the use of pesticides for a long time could increase pesticide safety management awareness [4][14].

Two farmers who had a good level of knowledge were at the age of < 40 years old with secondary school education and the age of ≥ 40 was1 people with illiterate and 1 person at the high school level. These suggest that young and old farmers were equally exposed to pesticides that were harmful to the health of the body [7]. In addition, higher education did not guarantee farmers' awareness of pesticide hazards due to hereditary habits and lack of building knowledge, provision of facilities and infrastructure as well as lack of assistance and supervision from related stakeholders. Without guidelines and assistance, farmers performed high doses of pesticides and more often suppress crop pests [10].

Based on the results of interviews of three farmers who had good knowledge, two of them took secondary school education and one illiterate person had participated in socialization activities organized by the Ponorogo District Agriculture Office. There were 18 people or 32% of farmers who have had socialization about the use of good pesticides, but only 3 people had good knowledge. The effectiveness of socialization depended on each individual's capture and confidence level [10]. Socialization with specific themes, accurate information, and the management of pesticides could technically increase farmers' awareness of pesticide hazards [4][5][6]. Based on the results of the interview, farmers only got socialization without technical skills.

4.2. Analysis of Pesticide Use Practices in Farmers

Knowledge and practical use of pesticides were two simultaneous things. Poor knowledge made farmers' performance in unsafe and unhealthy ways. This increased the risk of health [4] [11]. The poorest practice was the use of personal protective equipment followed by personal hygiene.

There were 49% of farmers who read pesticide labels, yet in practice, it is still in accordance with the habits. Farmer habits were more trusted than knowledge, farmers prefer their own opinions based on experience. As a result, farmers often mixed 2, even more pesticides to facilitate them in eradicating pests without understanding the reaction of the chemical content of each pesticide. Labels on pesticide packaging were important information in safe use for the health and environment [9].

There were 53% of farmers who stored pesticides in rice fields and 47% stored at home. Storing pesticide bottles in the house was particularly risky for contamination of other family members, especially children, and to nearby objects, through inhalation of residual exposure when preparing and mixing [3][8][14]. Farmers kept at home for fear of being lost if put on the field.

The use of personal protective equipment on mixing, carrying, or spraying becomes one of the factors of pesticide contaminations in the body [3][7]. During this time farmers only used hats and masks with clothes tied to the mouth and nose. Clothes and trousers were still impenetrable to pesticides, and previous research had also suggested that improper use of personal protective equipment increased the risk of pesticides to health [4][6]. Pesticides got into the body through inhalation, skin, and oral. Some previous studies had mentioned that pesticide residues were found on hands, dermal patches, and face protectors or shields [4][7]. The reason farmers did not use personal protective equipment properly was related to funds. Thus, there should be attention from the relevant stakeholders for the procurement of personal protective equipment in order to safe pesticide handling [11].

There were 61% of farmers who disposed of pesticides bottles in rice fields and rivers, and this certainly harmed the environment and contaminate the body of water that was the main life source of humans as well as the surrounding animals [6][8][14]. According to previous research, it was found that humans could be exposed to pesticides from contaminated water [11].

There were 79% of farmers immediately took a shower after spraying, but it was carried out at home as well as washing clothes along with the dirty clothes of family members. It can increase the risk of contamination with family members at home [3]. Also, leaving pesticides within a few moments after spraying can increase the absorption of pesticide levels into the body through the skin [4][6]. The transfer of pesticide residues through pesticidecontaminated clothing from field to home was called the take-home pesticide exposure pathway [12].

5. CONCLUSION

Based on the text above, it can be stated that the poor knowledge of pesticides in farmers occurs due to a lack of assistance from related stakeholders, inadequate facilities, and the strong hereditary farming culture. Pesticide safety management was key in preventing pesticide contamination in the blood. Therefore, it required socialization about the integration of agriculture with pesticide safety management and comprehensive assistance from related stakeholders, especially the Department of Health and the Department of Agriculture on the use of good, safe, and technically correct pesticides [6][8][10][14], starting from purchasing, storage, mixing, handling, disposal of used pesticide bottles, completeness of personal protective equipment and



personal hygiene [3]. Supervision and inspection every six months was also necessary to ensure the continuity of the program or good practice [4][5]. Some previous studies had explained that farmers gaining socialization and training had higher knowledge and safety behavior on pesticide use [10]. Pesticide hazard building is also required to be done early on informal education integrated into the curriculum to improve safety behavior early on [11].

AUTHORS' CONTRIBUTIONS

All authors conceived of the presented idea. The first and third authors developed the theory. The second and fourth authors verified the analytical methods. All authors discussed the results and contributed to the final manuscript.

ACKNOWLEDGMENTS

The researchers would like to express the gratitude to the Ministry of Research (BRIN) for providing grants to the research team in 2020.

REFERENCES

- [1] Badan Pusat Statistik Kabupaten Ponorogo, Katalog Statistik Daerah Kabupaten Ponorogo 2015. Badan Pusat Statistik Kabupaten Ponorogo, 2015.
- [2] D. A. Rahman, Zakianis, and L. Fitria, Pesticide Exposure, Behavior of Farmer, and Activity of Cholinesterase Enzyme in Blood of Fertile WomenFarmers, Jurnal Kesehatan Masyarakat Nasional, vol. 10(2), 2015, pp. 51-56. DOI: http://dx.doi.org/10.21109/kesmas.v10i2.879.
- [3] C. A. Damalas and I. G. Eleftherohorinos, Pesticide Exposure, Safety Issues, and Risk Assessment Indicators, Int. J. Environ. Res. Public Health, vol. 8, 2011, pp. 1402-1419. DOI: 10.3390/ijerph8051402.
- [4] S. Santaweesuk, P. Boonyakawee, and W Siriwong, Knowledge, Attitude and Practice of Pesticide Use and Serum Cholinesterase Levels Among Rice Farmers in Nakhon Nayok, Province, Thailand, Journal of Health Research, 2020. DOI: https://doi.org/10.1108/JHR-09-2019-0204.
- [5] P, Boonyakawee, S, Taneepanichskul, R. S. Chapman R. S, Effects of An Intervention To Reduce Insecticide Exposure On Insecticide-Related Knowledge And Attitude: A Quasi-Experimental Study In ShogunOrange Farmers In Krabi Province, Thailand, Risk Manag Healthc Policy, 6, 2013, pp. 33-41. DOI: 10.2147/RMHP.S50409.
- [6] V. A. Sefa, E. A. Bediako, L. Kenyon, and J. A. Micah, Pesticide Use Practices and Perceptions of Vegetable Farmers in the Cocoa Belts of the Ashanti and Western Regions of Ghana, Adv Crop Sci Tech, vol. 3(3), 2015, pp. 1-10. DOI: 10.4172/2329-8863.1000174.
- [7] J. A. Kapeleka, E. Sauli, O. Sadik, and P. A. Ndakidemi, Biomonitoring of Acetylcholinesterase (AChE) Activity among Smallholder Horticultural Farmers Occupationally Exposed toMixtures of

Pesticides in Tanzania, Journal of Environmental and Public Health, 2019, pp. 1-11. DOI: https://doi.org/10.1155/2019/3084501.

- [8] J. P. Rijal, R. Regmi, R. Ghimire, K. D. Puri, S. Gyawaly, and S. Poudel, Farmers' Knowledge on Pesticide Safety and Pest Management Practices: A Case Study of Vegetable Growers in Chitwan, Nepal, Agriculture, Vol. 8(16), pp. 1-11, 2018. DOI: https://doi.org/10.3390/agriculture8010016.
- [9] Y. D. Andarini and E. Rosanti, Study of Toxicity Pesticide Based on Length of Work and Personal Hygiene on Horticultural Farmers in Demangan Village, An-Nadaa, vol. 5(2), 2018, pp. 82-89. DOI: http://dx.doi.org/10.31602/ann.v5i2.1655.
- [10] C. A. Damalas and S. D. Koutroubas, Farmers' Training on Pesticide Use Is Associated with Elevated Safety Behavior, Toxics, vol. 5(19), 2017, pp. 1-10. DOI: 10.3390/toxics5030019.
- [11] B. Ndayambaje, H. Amuguni, J. Con-Schmitt, N. Sibo, M. Ntawubizi, and E. VanWormer, Pesticide Application Practices and Knowledge among Small-Scale Local Rice Growers and Communities in Rwanda: A Cross-Sectional Study, International Journal of Environmental Researchand Public Health, 16(4770), 2019, pp. 1-11. DOI: https://doi.org/10.3390/ijerph16234770.
- [12] C. Thao, N. Burke, S. Ha, and A. Joyce, Pesticide Knowledge, Attitudes, and Practices Among Small-Scale Hmong Farmers in the San Joaquin Valley of California, Journal of Integrated Pest Management, Vol. 10(1), 2019, pp. 1–6. DOI: 10.1093/jipm/pmz030.
- [13] A. H. Oesterlund, J. F. Thomsen, and E. Jors, Pesticide knowledge, practice and attitude and how it affects the health of small-scale farmers in Uganda: a crosssectional study, African Health Sciences, vol 14(2), 2014, pp. 420-433. DOI: 0.4314/ahs.v14i2.19.
- [14] M. V. S. Sai, G. D. Revati, and M. M. Kumar, Knowledge and Perception of Farmers Regarding Pesticide Usage in a Rural Farming Village, Southern India, Indian J Occup Environ Med, vol. 23(1), 2019, pp. 32-36. DOI: 10.4103/ijoem.IJOEM_121_18.