

Identification of herbal products used by families in the campus of Darussalam Gontor University

by Amal Fadholah

Submission date: 02-Aug-2022 01:08AM (UTC-0400)

Submission ID: 1877986319

File name: A6.jurnal_Pharmacy_education.pdf (307.94K)

Word count: 3164

Character count: 17280

IAI CONFERENCE

RESEARCH ARTICLE

Identification of herbal products used by families in the campus of Darussalam Gontor University

Amal Fadholah, Solikah Ana Istikomah, Cania Sofyan Islamanda, Evi Rohana Ma'rufi Jannah
Pharmacy Department, Faculty of Health Sciences, Darussalam Gontor University

Keywords

Darussalam Gontor University
Family
Jamu
Phytopharmaca
Standardised herbal medicine (OHT)

Correspondence

Amal Fadholah
Pharmacy department
Faculty of health sciences
Darussalam Gontor University
Indonesia
a.fadholah15@gmail.com

Abstract

Background: The development and the use of herbal medicinal products is increasing in Indonesia. **Aim:** To identify the safety of herbal medicine product used by families of Darussalam Gontor University (UNIDA) Gontor. **Method:** This research was conducted to identify herbal products that are used based on features, functions, and benefits. The method used was Rapid Assessment Procedure (RAP) with a qualitative approach. **Results:** The results showed there were 100 products used by 72 respondents. The level of product safety used based on raw materials was 96% and the efficacy claimed was 76%. The most type of product used was *jamu* (Indonesian indigenous traditional medicine) (94.7%). The range of understanding level of of respondents based on features and benefits was between good and very good. **Conclusion:** The use of herbal products by respondents can be viewed from the aspect of product safety levels based on raw materials (96%) and efficacy claims (76%). This was still classified as safe.

Introduction

Health development in Indonesia aims to increase awareness, willingness, and ability to live a healthy life for everyone to realise the highest degree of public health. The health effort can be carried out in the form of activities with promotive, preventive, curative, and rehabilitative approaches that are carried out continuously. As in Law No. 36, article number 48 of 2009 about health states that there are 17 health efforts, one of which is a traditional health service.

Herbal medicine can be used as a complementary therapy in health care facilities and is used by the community as a preventive, promotive, curative, rehabilitative, and palliative effort (Aditama, 2014). This is supported by the World Health Organisation (WHO), which recommends the use of herbal medicines to maintain health, prevent, and treat diseases, especially in chronic diseases and degenerative metabolic cancer (WHO, 2013).

The development of traditional health services using herbs today is increasing rapidly, in 2009 as much as 15.04%, in 2010 as much as 31.7%, in 2012 as much as 41.7%, and the latest data in 2018 as much as 44.3% (Kemenkes RI, 2018). Herbal medicines circulating in Indonesia are safe to consume with a record that has been registered in The Indonesian National Agency for Drug and Food Control, Republic of Indonesia (BPOM). However, herbal medicines that have been used for generations do not need clinical trials because they have been used for three generations or over 180 years (Parwata, 2016), such as *Tolak Angin* and *Diapet* (Utami, 2018).

Herbal medicine should not contain medicinal chemicals (*Bahan Kimia Obat/BKO*) because it can endanger health and could be fatal. Nowadays, many herbal medicines are clinically still not supported by strong and consistent evidence (Kamaluddin, 2016). The result shows that the use of herbal medicines among the families of University of Darussalam

(UNIDA) Gontor lecturers has been increasing rapidly in recent years.

So, the purpose of this study was to determine the level of safety of herbal products used by the family of UNIDA Gontor by identifying herbal related products based on features, functions, and benefits. This study also aimed to describe the use of herbal products in the categories of *Jamu* (Indonesian indigenous traditional medicine), standardised herbal medicine (*Obat Herbal Terstandar/OHT*), and phytopharmaca (*fitofarmaka*).

Theoretical review

Herbal medicines are raw materials or preparations derived from plants that have therapeutic effects or other effects that are beneficial to human health. BPOM classifies traditional medicine into three classes, namely *jamu*, standardised herbal medicine, and phytopharmaca, based on its scientific evidence.

Herbal products are unique in that there are features, functions, and benefits (Kotler & Keller, 2009). The feature is a characteristic of a product that is designed to enhance the function and consumer interest in the product (Arifin & Saidani, 2012). The function is a benefit obtained by consumers after using a product, that is, the suitability of the function listed in the product packaging (Juwandi, 2004). The benefit is the value obtained by consumers in using the product that has a high benefit ratio compared to the side effects caused (Rambat, 2001).

According to Government Regulation No. 69 of 1999 article 2 (1), every person who manufactures or imports packaged food in the territory of Indonesia must include a label inside and/or outside the food packaging. Also, based on Minister of Health Regulation No. 246 of 1990, article 1 (9) states that herbal products labels must include information in the form of 1) product name; 2) composition; 3) net weight; 4) name and address of the business actor; 5) expiry date; 6) rules of use; 7) date of manufacture; 8) side effects; 9) the symbol of *jamu*; 10) the dosage of use; 11) efficacy; 12) usefulness; 13) contraindication (if any); 14) registration number; 15) production code number; 16) specific ingredient information (if any), and alcohol content (if any).

Method

Research design

The design of this study used the Rapid Assessment Procedure (RAP) method with a qualitative descriptive approach. So, in this study, the authors identified

herbal products used by respondents based on features, functions, and benefits.

Research place and time

This research was conducted at the campus of UNIDA Gontor, both for the families of lecturers who live in UNIDA Gontor Siman, as well as UNIDA Gontor Mantingan. The study started in September 2019 and ended in January 2020.

Research samples

The population in this study are the lecturers of UNIDA Gontor, with a total population of 250 people. The research sample that is used as a respondent uses a purposive sampling technique which is a method for selecting respondents by determining criteria included in the research category (Saryono & Anggraeni, 2010). The sample of respondents to be taken was done using the Slovin formula with an error rate of 10%. The degree of trust in this study is 90%.

$$n = \frac{N}{N(d^2) + 1}$$

n: Sample size; N: Large population; d: The degree of accuracy of the alleged magnitude of the sample = 0.1 (10%)

The results obtained based on the Slovin formula are 72 respondents from a total population of 250 people. The sample used in this study were 72 respondents and were homogeneous because the respondents lived in the same environment, so the respondents had the same level of communication and knowledge.

Ways of data collection

In this study, the authors conducted interviews with respondents by contacting respondents who used herbal products and filed a statement of willingness to be the respondent. Interviews were conducted face-to-face by visiting respondents in the office or at home. In this study, the authors brought tools such as pens, notebooks, and recorders to help facilitate data processing. At the end of the interview, respondents were asked to provide samples of the herbal products that were used as research documentation.

Data analysis and processing

The data obtained were analysed using a qualitative descriptive analysis which described the results that had been obtained by the authors during the interview.

The data processing was done using Microsoft Office Word and Microsoft Office Excel.

Stages of data processing are: 1) organising data obtained during interviews; 2) conducting data categorisation of the same type; 3) interpret data obtained to answer research problems and describe phenomena related to research; 4) evaluate interpretations to avoid misinterpretations.

Results and discussion

Overview of research subjects

Seventy-two respondents were included in this study. There were 73.6% of respondents male, and 26.4% of respondents were females. The respondents based on education level were dominated by lecturers who teach second-year undergraduate students (94.4%) than the third year (5.6%).

Licensing of herbal products

Table I shows licensing of 100 herbal products.

Table I: Types of licensing of herbal products

Licensing institution	Number of product
BPOM	25
BPOM & MUI	36
PIRT & MUI	16
PIRT	19

Note: BPOM = The Indonesian National Agency for Drug and Food Control; MUI = Indonesian Council of Religious Scholars; PIRT = Home Industry Food

Based on the features of herbal products, it can be viewed from four aspects. First, the safety of herbal products can be seen on the packaging label based on the raw materials used and claims of efficacy (see Table II).

Table II: Safety levels of herbal products

Licensing Institution	Raw materials		Efficacy claims	
	%	Category	%	Category
BPOM	25%	Secure	23%	Secure
			2%	Not secure
BPOM & MUI	36%	Secure	33%	Secure
			3%	Not secure
PIRT & MUI	16%	Secure	10%	Secure
			6%	Not secure
PIRT	19%	Secure	10%	Secure
			4%	Not secure
			13%	Not secure

Secondly, the types of herbal products used on *jamu*, OHT, and phytopharmaca categories can be seen in Table III).

Table III: Types of herbal products

Category	%
<i>Jamu</i>	94.7%
OHT	5.3%
Phytopharmaca	0%

Third, the completeness of information listed on herbal products can be seen in Table IV. Eighty-three percent of products have completed information standards based on the type of license.

Table IV: Completeness of herbal product information

Licensing institution	%	Category
BPOM	25%	Complete
	0%	Not complete
BPOM & MUI	36%	Complete
	0%	Not complete
PIRT & MUI	16%	Complete
	0%	Not complete
PIRT	6%	Complete
	17%	Not complete

Fourth, the level of understanding of herbal medicine categories based on *jamu*, OHT, and Phytopharmaca can be seen in Table V.

Table V: Understanding level of herbal product

Respondents	Understanding level
A (1 Respondent)	<i>Jamu</i> and OHT
B (1 Respondent)	<i>Jamu</i> , OHT, and <i>fitofarmaka</i>
70 Respondents	Do not understand

The use of herbal products

The use of herbal products must have to match the benefits felt by consumers with the product claims listed on the packaging (see Table VI).

Table VI: The use of herbal products

Product	%
Supplement	71%
Preventive Form	19%
Help Treat	10%

Benefits

In the aspect of benefits, the use of herbal products is following the information contained in the packaging label. Although some products claim to cure, respondents only use it as a cure or prevent.

Discussion

Lecturers who teach at UNIDA Gontor are dominated by male lecturers. Many of them use herbal products. According to Nur (2004), male respondents tend to use the internet to search for information compared to social media, while female respondents tend to use the internet for social media. The university of UNIDA Gontor was only established in 2014, so that not many lecturers have doctoral degrees, and no one has graduated students at the doctoral level.

Distributing herbal products in Indonesia must have a marketing authorisation (Government Regulation, 2012) and include clear information on the packaging (Government Regulation, 1999). The licensing agency related to the circulation of a product in Indonesia can be through BPOM, MUI, and PIRT licensing is the highest licensing that takes care of drug and food control (BPOM, 2017). Indonesian Council of Religious Scholars (*Majelis Ulama Indonesia/MUI*) is a licensing institution based on the deliberations of Muslim scholars and scholars who determine the halal status of a product by Islamic law (Government Regulation, 2014). Home Industry Food (*Pangan Industri Rumah Tangga/PIRT*) is a licensing scope for district or city service for micro, small, medium enterprises and home industries (Nurwidiana, 2019).

In Table II, 96% of the products are classified as safe based on the raw materials listed on the packaging. This is very important, considering the number of cases related to herbal products that contain BKO and are fatal to health. There are 76% of products classified as safe, based on the claims of efficacy listed on the packaging. Herbal products with BPOM permission claim the product is only as a supplement and helps prevent or treat it, not as a medicine. Whereas the PIRT permit product can only claim as food, not as a supplement or medicine.

Based on the percentage of use of herbal products, respondents use more *jamu*, OHT and no one uses phytopharmaca. The use of herbal medicines by these respondents is in line with the results of Ahmad's study (2012) that most patients who seek treatment at the SJHM clinic prefer *jamu* rather than conventional medicines because of the perception of the efficacy of *jamu*, which was believed to be higher than capsule preparations. Phytopharmaca herbal products are

herbal products that can be equalised as synthetic chemical drugs because they have been proven clinically (evidence-based medicine). Completeness of information in the label is important because it can guarantee the safety and authenticity of a product to consumers in using a product.

The level of understanding of respondents related to features and benefits fell in the range of understanding to very understanding. While the functions fell in the range of do not understand to understand. This is based on the ability of respondents to understand the active compounds contained in the product composition and the ability to analyse products that are categorised as insecure or contain BKO.

The use of herbal medicines by respondents based on function is also not in accordance with the complaints of the disease being suffered. Based on Table VI, most of the respondents used herbal medicines for the purpose of being a supplement. The reasons for using herbal medicines for these supplements are in accordance with the results of research by Panyod and the authors (2020), that food and herbal medicines can be used as complementary therapies to prevent infection, strengthen immunity and as antiviral agents.

Herbal products used by many respondents were classified as overclaimed, but the use of these products was limited to the table above. The respondent's answer related to the perceived benefits of making the body healthier, stamina, not easily hurt and tired when on the move. The reasons respondents use herbal medicines are the lack of side effects and even almost not found, minimize the use of chemicals, do not cause dependence effects, and can be used continuously to maintain health. Based on the perceived benefits, respondents will choose to use herbal medicines before using synthetic chemical drugs to help or prevent a complaint. The respondent's reason is in accordance with the results of Dewi's research (2019), the most widely used type of traditional medicine is herbal medicine (52.38%) on the grounds that people use traditional medicine because it is made from natural ingredients (37.50%).

For further research, it is necessary to test the levels of active substances in the products used by respondents to find out the level of truth by the packaging labels listed on the product and the need for making manuals or guidelines on how to choose herbal products that are safe, useful and guaranteed. As well as for the government to make a special policy regarding product truth standards with Home Industry Food permit status that can be accessed by the general public.

Conclusion

The use of herbal products by respondents from the aspect of product safety levels (96%) and efficacy claims (76%) are still classified as safe, the truth of information on product packaging labels is 83%, which is considered as truthful and the level of knowledge of respondents is based on categories jamu, OHT, and phytopharma are classified as low. Most of the use of herbal products is based on function as supplements (71%). Meanwhile, based on the benefits of using herbal products, it is safe. The use of herbal products based on the jamu category was 94.7%, OHT was 5.3%, and phytopharmaca was 0%.

Acknowledgements

The authors would like to thank Darussalam Gontor University for providing an internal research grant to conduct research related to the identification of herbal products used by UNIDA Gontor's lecturer family.

References

- Aditama. (2014). *Jamu & Kesehatan*. 2nd edition. Jakarta: Badan Penelitian dan Pengembangan Kesehatan
- Ahmad, F.A. (2012). *Analisis Penggunaan Jamu untuk Pengobatan Pada Pasien di Klinik Saintifikasi Jamu Hortus Medicus Tawangmangu Tahun 2012*. Depok: Fakultas Kesehatan Masyarakat, Universitas Indonesia
- Dewi, R.S., Wahyuni, Pratiwi, E. & Muharni, S. (2019). Penggunaan Obat Tradisional Oleh Masyarakat Di Kelurahan Tuah Karya Kota Pekanbaru. *Jurnal Penelitian Farmasi Indonesia*, **08**(01), 41-45
- Juwandi, H.I. (2004). *Kepuasan Pelayanan Jasa*. Jakarta. Erlangga, 97
- Kamaluddin. 2016. Obat Herbal Berkhasiat, Keamanan Perlu Dimonitor. *Jurnal of Indonesian Medical Association*
- Nurwidiana, Fatmawati, W., & Masidah, E. (2019). Pendampingan Proses Produksi dan Kemasan Produk Industri Kecim Minuman Herbal. *Jurnal Community Empowerment*, Vol. **4**, 57-65
- Nur, A. (2014). Pengaruh Usia, Tingkat Pendidikan, dan Jenis Kelamin Terhadap Perilaku Konsumsi Media. *Jurnal Ilmu Komunikasi*, Vol. **1**, No. 11
- Panyod, S., Chi-Tang Ho & Shenn, L.-Y. (2020). Dietary Therapy and Herbal Medicine for Covid-19 Prevention: A Review and Perspective. *Journal of Traditional and Complementary Medicine*, **20**(20)
- Parwata, I Made O.A. (2016). *Obat Tradisional*. Skripsi. Bali: Universitas Udayana. Peraturan Menteri Kesehatan Republik Indonesia Nomor 6 Tahun 2016. *Formularium Obat Herbal Asli Indonesia*. Jakarta. Menteri Kesehatan Republik Indonesia
- P. Kotler., dan Keller KL. (2009). *Manajemen Pemasaran Jilid 1*. Edisi **13**. Jakarta. Airlangga
- Peraturan Pemerintah Republik Indonesia Nomor 69 Tahun 1999. *Label dan Iklan Pangan*. Jakarta. Menteri Kesehatan Republik Indonesia
- Peraturan Menteri Kesehatan No 246/Menkes/Per/V/1990 tentang *Izin Usaha Industri Obat Tradisional dan Pendaftaran Obat Tradisional*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 007 Tahun 2012. *Registrasi Obat Tradisional*. Jakarta
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 07 Tahun 2012. *Registrasi Obat Tradisional*. Jakarta. Menteri Kesehatan Republik Indonesia
- Peraturan Badan Pengawas Obat dan Makanan Nomor 26 Tahun 2017. *Organisasi dan Tata Kerja Badan Pengawas Obat dan Makanan*. Jakarta
- Peraturan Pemerintah Republik Indonesia Nomor 31 Tahun 2014. *Jaminan Produk Halal*. Jakarta
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 88 Tahun 2013. *Induk Pengembangan Bahan Baku Obat Tradisional Merujuk Pada Kebijakan Obat Tradisional Nasional*. Jakarta
- Rambat, L dan Hamdani. (2001). *Manajemen Pemasaran Jasa*. Jakarta. Selemba Empat, 127
- Saidani, Basrah, Arifin Samsul. (2012). Pengaruh Kualitas Produk dan Kualitas Layanan Terhadap Kepuasan Konsumen dan Minat Beli Pada Ranch Market. *Jurnal Riset Manajemen Sains Indonesia*. Vol. **3**, No. 1. 5
- Saryono, Mekar Dwi Anggraeni. (2010). *Metodologi Penelitian Kualitatif Dalam Bidang Kesehatan*. Mulia Medika. Yogyakarta
- Undang-Undang Republik Indonesia Nomor 36 Tahun 2009. *Kesehatan*. Jakarta
- Utami, Ebt Rizki. (2018). *Hubungan Pengetahuan Keluarga Dengan Penggunaan Obat Tradisional di Desa Nunggalrejo Kecamatan Punggur Kabupaten Lampung Tengah*. Skripsi, Fakultas Kedokteran, Universitas Lampung. 1-58
- WHO. 2005. *National Policy on Traditional Medicine and Regulation of Herbal Medicine*. Report of a WHO global survey. Geneva
- WHO, 2013. *WHO traditional medicine strategy 2014-2023*. Geneva: WHO

Identification of herbal products used by families in the campus of Darussalam Gontor University

ORIGINALITY REPORT

9%

SIMILARITY INDEX

6%

INTERNET SOURCES

5%

PUBLICATIONS

2%

STUDENT PAPERS

PRIMARY SOURCES

1	garuda.ristekbrin.go.id Internet Source	1%
2	Submitted to Universitas Indonesia Student Paper	1%
3	e-journal.metrouniv.ac.id Internet Source	1%
4	Mansyur Radjab, Alimuddin Unde, Mungsi Lampe, Andi Nurlela. "The health development inequality of remote village: The study case of Bakaru Village, Indonesia", <i>Enfermería Clínica</i> , 2020 Publication	1%
5	ejournal.stifar-riau.ac.id Internet Source	1%
6	Daisy Volmer, John Lilja, David Hamilton. "Self-evaluated knowledge of pharmacy customers in South-Estonia about the use and safety of herbal products", <i>TANG [HUMANITAS MEDICINE]</i> , 2011 Publication	1%

7	ejournal.unida.gontor.ac.id Internet Source	1 %
8	Suraphan Panyod, Chi-Tang Ho, Lee-Yan Sheen. "Dietary therapy and herbal medicine for COVID-19 prevention: A review and perspective", Journal of Traditional and Complementary Medicine, 2020 Publication	<1 %
9	ojs.akbpstie.ac.id Internet Source	<1 %
10	www.tandfonline.com Internet Source	<1 %
11	Justin de Brabander, Erni J. Nelwan, Ralalicia Limato, Monik Alamanda et al. "Bacterial culture use, etiology and antibiotic susceptibility of common bacterial infections in Indonesian hospitals in 2019", Cold Spring Harbor Laboratory, 2022 Publication	<1 %
12	Surasak Saokaew. "Safety of Herbal Products in Thailand : An Analysis of Reports in the Thai Health Product Vigilance Center Database from 2000 to 2008", Drug Safety, 04/2011 Publication	<1 %
13	Restu Pamungkas, Indasah Indasah, Koesnadi Koesnadi. "The Role of Nurses and the Quality	<1 %

of Health Services with the Satisfaction of
BPJS Patients in Junrejo Puskesmas Batu City",
JOURNAL FOR RESEARCH IN PUBLIC HEALTH,
2019

Publication

14

assets.sustainability.vic.gov.au

Internet Source

<1 %

15

bmccomplementmedtherapies.biomedcentral.com

Internet Source

<1 %

16

id.scribd.com

Internet Source

<1 %

17

Indra Aulia, Ari Moesriami Barmawi. "An automatic health surveillance chart interpretation system based on Indonesian language", 2015 International Conference on Advanced Computer Science and Information Systems (ICACISIS), 2015

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On